



FC24M

1.1"

24
MP

2.5
 μm

NEW SERIES

GO ULTRA HIGH RES



FC24M

1.1" | 24MP (2.5 μ m)

FOR SONY
IMX 183
IMX530/540
IMX531/541
IMX253/304





6.5 mm **8.5** mm **12** mm **16** mm **25** mm **35** mm **50** mm

MADE IN JAPAN 

- > Low distortion and large image size of $\Phi 17.6$ mm
- > Excellent performance from close to infinity working distance
- > Wide-band multi-coating produces transmission from VIS to NIR

WIDE BAND MULTI-COATING

The improved coatings effectively decrease flare and ghost effects and produces a high transmission from the visible to the NIR wavelength.



FC24M



STANDARD LENS

ENHANCED RESOLUTION

Every lens in the FC24M range benefits from strict final inspections with the elimination of manufacturing tolerances, resulting in a lens series boasting superior high resolution performance.

This resolution remains consistently high from close working distances to infinity.

The FC24M series can be used with sensors down to a pixel size of 2.5µm. This makes them suitable for the Sony IMX183, 530/540, 531/541, 253/304 sensors.

FLOATING LENS MECHANISM

A floating lens system dramatically improves focussing precision.

The internal lens groups move separately, optimizing the focus performance from far to near.

LENS MOVEMENT

